



# PROFİL AKSESUARLARI




SANAYİ VE TİCARET LİMİTED ŞİRKETİ


## KEPENK PROFİLLERİ

Sistem özellikleri ve teknik veriler


# KEPENK PROFİLLERİ




T 803 - 0.496 kg/m




T 800 - 0.669 kg/m  
( Tek cidarlı )




T 801 - 0.177 kg/m  
p.pimi




T 1133 - 0.250 kg/m



T 804 - 1.632 kg/m




T 817 - 0.334 kg/m




T 802 - 0.690 kg/m


# KEPENK PROFİLLERİ




T 812 - 0.766 kg/m




T 811 - 0.561 kg/m




T 818 - 0.540 kg/m



T 810 - 0.410 kg/m




T 813 - 0.560 kg/m




T 814 - 0.258 kg/m


# KEPENK PROFİLLERİ




T 1120 - 0.507 kg/m




T 1136 - 0.410 kg/m




T 1121 - 0.621 kg/m



T 2139 - 1.630 kg/m




T 816 - 0.830 kg/m




T 2135 - 0.578 kg/m


# KEPENK PROFİLLERİ




T 2133 - 1.220 kg/m




T 2134 - 0.817 kg/m



T 2132 - 0.710 kg/m




T 2128 - 0.834 kg/m




T 2131 - 0.191 kg/m


# KEPENK PROFİLLERİ




T 809 - 0.464 kg/m




T 2130 - 0.598 kg/m



T 808 - 0.410 kg/m




T 1056 - 0.240 kg/m



T 2148 - 0.285 kg/m



T 815 - 0.393 kg/m




T 450 - 0.156 kg/m



T 100 - 0.315 kg/m

PANJUR



T 102 - 0.275 kg/m