



PROFİL AKSESUARLARI




SANAYİ VE TİCARET LİMİTED ŞİRKETİ

STANDART PROFİLLER

Sistem özellikleri ve teknik veriler

STANDART PROFİLLER


Standart L Profiller



Profil No	a (mm)	b (mm)	s1 (mm)	s2 (mm)	(kg/m)	Profil No	a (mm)	b (mm)	s1 (mm)	s2 (mm)	(kg/m)
T 543-1.5	12	12	1.5	1.5	0.105	T 506-5	50	50	5.0	5.0	1.312
T 522-1.5	15	15	1.5	1.5	0.116	T 546-3	57	20	3.0	3.0	0.615
T 522-3	15	15	3.0	3.0	0.217	T 524-1.5	60	12.5	1.5	1.5	0.290
T 519-2	20	12	2.0	2.0	0.165	T 504-1.2	60	20	1.2	1.2	0.260
T 538-1.5	20	15	1.5	1.5	0.135	T 504-2	60	20	2.0	2.0	0.430
T 500-1.2	20	20	1.2	1.2	0.125	T 517-2	60	30	2.0	2.0	0.435
T 500-1.5	20	20	1.5	1.5	0.160	T 517-3	60	30	3.0	3.0	0.707
T 500-2	20	20	2.0	2.0	0.205	T 510-4	70	50	4.0	4.0	1.270
T 502-1.2	25	25	1.2	1.2	0.160	T 510-4.5	70	50	4.5	4.5	1.420
T 502-3	25	25	3.0	3.0	0.382	T 525-2	70	70	2.0	2.0	0.750
T 518-2	30	12	2.0	2.0	0.216	T 529-5	70	70	5.0	5.0	1.830
T 507-1.2	30	20	1.2	1.2	0.170	T 511-1.5	80	20	1.5	1.5	0.380
T 507-2	30	20	2.0	2.0	0.260	T 509-2	80	40	2.0	2.0	0.650
T 501-1.2	30	30	1.2	1.2	0.195	T 509-4	80	40	4.0	4.0	1.270
T 501-2	30	30	2.0	2.0	0.313	T 508-3.2	80	50	3.2	3.2	1.040
T 533-3	30	87	3.0	3.0	0.940	T 508-4	80	50	4.0	4.0	1.370
T 516-3	40	12	3.0	3.0	0.400	T 508-5	80	50	5.0	5.0	1.700
T 503-1.2	40	20	1.2	1.2	0.195	T 528-1.5	85	15	1.5	1.5	0.402
T 503-2	40	20	2.0	2.0	0.313	T 544-1.3	100	20	1.3	1.3	0.430
T 503-2.5	40	20	2.5	2.5	0.387	T 512-3	100	50	3.0	3.0	1.200
T 505-2	40	40	2.0	2.0	0.421	T 512-4	100	50	4.0	4.0	1.525
T 505-4	40	40	4.0	4.0	0.820	T 512-4.5	100	50	4.5	4.5	1.778
T 527-2	45	45	2.0	2.0	0.480	T 521-6	100	100	6.0	6.0	3.170
T 530	46	30	1.2	2.0	0.310	T 513-3.2	120	50	3.2	3.2	1.380
T 526	48	30	2.0	2.0	0.412	T 513-3.7	120	50	3.7	3.7	1.630
T 351-1.8	50	25	1.8	1.8	0.360	T 513-4	120	50	4.0	4.0	1.650
T 372-2	50	25	2.0	2.0	0.395	T 513-5	120	50	5.0	5.0	2.250
T 351-2.3	50	25	2.3	2.3	0.455	T 514-4	130	50	4.0	4.0	1.914
T 506-2.0	50	50	2.0	2.0	0.533	T 514-5	130	50	5.0	5.0	2.380
T 506-3.2	50	50	3.2	3.2	0.850	T 2262-2	150	12	2.0	2.0	0.880
T 506-3.8	50	50	3.8	3.8	0.997	T 520-3	150	50	3.0	3.0	1.600
T 506-4	50	50	4.0	4.0	1.050	T 520-4	150	50	4.0	4.0	2.132


STANDART PROFİLLER

Tırtıklı L Profiller




Profil No	a (mm)	b (mm)	s1 (mm)	s2 (mm)	(kg/m)
T 2120	30	40	2.0	2.0	0.360
T 2187	40	20	1.4	2.2	0.250
T 360-1.8	50	25	1.8	1.8	0.300
T 360-2	50	25	2.0	2.0	0.400
T 364-1.8	50	35	1.8	1.8	0.405

Özel L Profiller




Profil No	a (mm)	b (mm)	s1 (mm)	s2 (mm)	(kg/m)
T 530	40	30	1.2	2.0	0.310
T 531	12.4	46.4	2.0	2.0	0.235
T 534	55	40	5.0	5.0	1.220
T 535-6	40	80	6.0	6.0	1.856
T 536-6	80	80	6.0	6.0	2.504
T 545	40	50	2.0	2.0	0.481
T 713	101.1	9.8	1.8	1.5	0.526

Standart T Profiller



Profil No	a (mm)	b (mm)	s1 (mm)	s2 (mm)	(kg/m)
T 401-1.2	25	25	1.2	1.2	0.160
T 2265-1.25	30	15	1.25	1.25	0.160
T 400-1.2	30	30	1.2	1.2	0.195
T 405-2.3	40	40	2.3	2.3	0.475
T 404-3	47	25	3.0	3.0	0.565
T 371-1.8	50	50	1.8	1.8	0.510
T 371-2.0	50	50	2.0	2.0	0.535
T 350-2.3	50	50	2.3	2.3	0.612
T 350-3	50	50	3.0	3.0	0.792
T 327-2	50	60	1.9	2.0	0.580
T 327-3	50	60	3.0	3.0	0.880
T 332-A	50	70	2.0	2.0	0.600
T 326-2.0	50	100	2.0	2.0	0.815
T 406-2.0	80	44	2.0	2.0	0.660


Tırtıklı T Profiller



Profil No	a (mm)	b (mm)	s1 (mm)	s2 (mm)	(kg/m)
T 1132-1.5	15.5	50	1.9	1.5	0.258
T 1142-1.8	30	70	1.8	1.7	0.446
T 2119-2	30	90	2.0	2.0	0.610
T 2166-2	48	95	1.8	1.8	0.580
T 359-1.8	50	50	1.8	1.8	0.475
T 359-2.0	50	50	2.0	2.0	0.535
T 332-1.5	50	70	1.5	1.5	0.494
T 332-1.7	50	70	1.7	1.7	0.535
T 332-1.8	50	70	1.8	1.8	0.585
T 332-2	50	70	2.0	2.0	0.631
T 2203-2	50	100	2.0	2.0	0.769
T 2211-2	45	110	2.0	2.0	0.780
T 2216-2	50	110	2.0	2.0	0.835


STANDART PROFİLLER

Kutu Profiller




Profil No	a (mm)	b (mm)	s (mm)	(kg/m)
T 1334	6	20	1.1	0.155
T 195-3	10	70	3	1.246
T 140-1.1	10.2	18.2	1.1	0.156
T 130-1.2	15	25	1.2	0.250
T 135-1.2	15	40	1.2	0.347
T 123-1.2	17	25	1.2	0.260
T129-2	20	20	2.0	0.390
T 131-1.3	20	30	1.3	0.350
T 122-1.1	20	40	1.1	0.347
T 122-2	20	40	2.0	0.609
T 1266	20	50	0.85	0.330
T 128-1.5	20	50	1.5	0.480
T 146	20	60	1.3	0.545
T 196-1.3	20	80	1.3	0.685
T 127-2	25	25	2.0	0.500
T 143-2	30	20	2.0	0.490
T 142-2	30	30	2.0	0.600
T 132-2	30	50	2.0	0.826
T 124-1.2	32	75	1.2	0.682
T 2823	39	84	4.0	2.510
T 121-1.2	40	40	1.2	0.506
T 121-2	40	40	2.0	0.827
T 121-3	40	40	3.0	1.215
T 120-1.2	40	50	1.2	0.572
T 120-2	40	50	2.0	0.935
T 126-1.5	40	80	1.5	0.925
T 126-2	40	80	2.0	1.289
T 133-2	45	45	2.0	0.950
T 147-2	50	50	2.0	0.940
T 147-3	50	50	3.0	1.540
T 137-2	50	60	2.0	1.179
T 136-2.5	50	70	2.5	1.611

Kutu Profiller



Profil No	a (mm)	b (mm)	s (mm)	(kg/m)
T 125-1.5	50	95	1.5	1.190
T 134-1.5	50	100	1.5	1.200
T 134-1.8	50	100	1.8	1.435
T 2822	50	100	5.0	3.800
T 2830	50	150	2.0	2.140
T 138-1.3	60	60	1.3	0.838
T 119	100	100	2.0	2.125

Kutu Profiller




Profil No	a (mm)	b (mm)	s (mm)	R (mm)	(kg/m)
T 862	14.1	14.1	2.0	1.0	0.260
T 149	17	17	1.3	1.0	0.235
T 194	19.75	39.85	1.0	2.0	0.320
T 141-1	20	60	2.0	2.0	0.813
T 1271	21.7	56.7	2.0	2.0	0.820
T 1267	24.9	59.9	1.2	0.6	0.550
T 144-3	30	40	3.0	0.9	1.114
T 145	40	60	1.5	1.0	0.780
T 2036	80	100	3.0	1.0	2.835
T 2035	100	100	3.0	4.0	3.125

Tırtıklı Kutu Profiller

Profil No	a (mm)	b (mm)	s (mm)	(kg/m)
T 197	20.5	50	1.5	0.750
T 199	40	50	2.0	0.890
T 198	50	60.5	2.5	1.458


STANDART PROFİLLER

U Profiller




Profil No	a (mm)	b (mm)	s (mm)	(kg/m)
T 900-1	6.15	16.6	1.0	0.072
T 2708	10	25	1.5	0.180
T 453-1.1	11.2	15.5	1.1	0.110
T 440	11.5	40	1.5	0.246
T 441	11.5	45	1.5	0.266
T 451-1.8	15	11.6	1.8	0.187
T 339-1.2	15	22	1.2	0.160
T 450-1.1	17	17	1.1	0.150
T 452-1.2	23	30	1.2	0.245
T 457-3	30	30	3.0	0.690
T 2579-2	30	120	2.0	0.962
T 455-5	33	65	5.0	1.650
T 2033	40	93.4	4.0	1.805
T 456-5	60	56.2	5.0	2.260
T 454-3	75	41	3.0	1.520

U Profiller



Profil No	a (mm)	b (mm)	s1 (mm)	s2 (mm)	(kg/m)
T 2440	10	20	1.5	2.0	0.175
T 2438	10	30	1.5	2.0	0.251
T 447	20.6	11.8	2.0	1.3	0.195
T 2263	22	8.0	1.1	1.1	0.160
T 3000	30	33.5	2.0	2.5	0.523


Boru Profiller



Profil No	d (mm)	s (mm)	(kg/m)
T 430	15.7	1.75	0.215
T 429	15.7	4.85	0.455
T 420	19	1.0	0.155
T 491	20	6.5	0.760
T 490	24	3.0	0.550
T 422	25	1.2	0.250
T 423	25	2.0	0.400
T 436	25	8.75	1.211
T 439	30	1.7	0.409
T 434	35	2.4	0.670
T 492	30	1.5	0.380
T 435	30	3.0	0.688
T 437	38	3.0	0.894
T 431	40	2.0	0.660
T 2644	41.2	2.0	0.680
T 438	48	1.3	0.530
T 438	48	4.0	1.500
T 427-1.3	49.2	1.3	0.540
T 433	50	2.25	0.921
T 427-1.5	50	1.5	0.700
T 427-1.8	50	1.8	0.745
T 426-2.5	50	2.5	1.050
T 428	54.6	2.0	0.910
T 2745	60	15	5.750
T 417	63	1.5	0.800
T 2744	70	10	5.110
T 424-4	75	4.0	2.435
T 418	80	2.0	1.340
T 432-2.5	88	2.5	1.830
T 2729	100	20	13.590
T 2746	120	35	25.260


STANDART PROFİLLER

Lama Profiller




Profil No	b (mm)	s (mm)	(kg/m)
T 462-3	20	3.0	0.165
T 464-4.5	20	4.5	0.245
T 466	23	3.0	0.195
T 2757	24	1.8	0.130
T 2742	25	1.5	0.115
T 465-5	25	5.0	0.340
T 784	25	10	0.682
T 821	25.5	3.2	0.235
T 2741	32.5	3.0	0.280
T 2740	35	3.0	0.300
T 467-2	40	2.0	0.220
T 468-4	40	4.0	0.436
T 469	40	25	2.720
T 460-2	45	2.0	0.250
T 2743	50	2.0	0.285
T 497	50	3.0	0.415
T 487	50	4.0	0.546
T 470	50	10	1.365
T 1053	50	15	2.047
T 471	50	20	2.730
T 472	50	25	3.413
T 461-2	60	2.0	0.326
T 473	60	10	1.632
T 474	60	20	3.264
T 475	60	30	4.900
T 476-4	70	4.0	0.762
T 477-4.5	70	4.5	0.860
T 483	80	20	4.352
T 478	80	30	6.528
T 496	100	3	0.825
T 479	100	15	4.095
T 484	100	20	5.440

Lama Profiller



Profil No	b (mm)	s (mm)	(kg/m)
T 485	105	60	17.19
T 486	126	4.0	1.376
T 480-5	130	5.0	1.775

Dolu Kutu Profiller



Profil No	a (mm)	b (mm)	(kg/m)
T 444	40	40	4.350
T 481	50	50	6.825
T 482	60	60	9.828


Çubuk Profiller



Profil No	d (mm)	(kg/m)
T 976	12	0.309
T 410	13	0.370
T 411	16	0.565
T 412	20	0.855
T 413	22	1.035
T 414	15	0.480
T 2645	24	1.225
T 2646	25.5	1.380
T 2720	70	10.415


STANDART PROFİLLER

Yarım Ay Profiller




Profil No	d (mm)	(kg/m)
T 977	16,8	0,300

Elips Profiller








Profil No	d (mm)	(kg/m)
T 982	19,9	0,416

Yarım Elips Profiller



Profil No	d (mm)	(kg/m)
T 983	16,2	0,337

Özel Profiller



STANDART PROFİLLER

Özel Profiller

